
HECEIVED CENTRAL FAX CENTER

JUL 2 0 2007



FAX COVER SHEET

Date:

July 20, 2007

TO:

Examiner S. Kruer

FAX:

571-273-8300

From:

Jeffrey Thurnau

Phone:

(303) 744-4743

Patent Counsel

Fax:

(303) 744-4653

Number of pages including cover sheet: 24

SERIAL NO.: 10/037,427 DOCKET NO.: B01-085A FILED: JANUARY 2, 2002 TITLE: LIFT BELT AND SYSTEM

RESPONSE TO:

Office Communication Mailed on May 4, 2007

ATTACHMENTS INCLUDE:

ARGUMENT - 18 PAGES

COPY OF ISO REFERENCE No.
ISO 9981: 1998(E) "BELT DRIVES —
PULLEYS AND V-RIBBED BELTS FOR
THE AUTOMOTIVE INDUSTRY — PK
PROFILE: DIMENSIONS" — 3 PAGES

AFFIDAVIT OF SEDLACEK, 37 CFR § 1.132

3 PAGES

3037444653

HECEIVED CENTRAL FAX CENTER

DOCKET NO. B01-085A

JUL 2 0 2007

I hereby certify that this correspondence is being submitted by fax transmission to 571-273-8300 on Alle Doub For The Gates Corporation Signature Sorres Salle Date signed: Selly 20,2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	Heinz, Guenther)	Examiner: Kruer, Stefan
	,)	Group Art Unit: 3654
Serial No.:	10/037,427)	
	·)	
Filed:	01/02/2002	j	ARGUMENT and
For:	Lift Belt and System	Ś	AFFIDAVIT

Via Fax Transmission Commissioner for Patents Alexandria, VA 22313

Dear Examiner Kruer:

This is filed in response to the non-final office action mailed 05/04/2007. The Examiner notes in the present office action that page 8 of the prior office action was inadvertently omitted. The Applicant appreciates the Examiner allowing the opportunity to respond, and as such the Applicant has responded to the omitted rejection under IV. Remarks, item #11 below.

With the addition of McKay the references now stand at 15, and yet none teaches or suggests the claimed rib angle of approximately 90°.

With the exception of i) the amendment to the specification, ii) new claims 43-45, iii) the argument relating to the amendment of the specification in section IV. Remarks, and iv) the new argument in Remarks item #11, the other rejections and arguments are presented *verbatim* as in the amendment filed 12 April 2007.

Amendment

I. In the Drawings.

1. None.

II. In the Specification

1. Please amend the paragraph at page 4, lines 1-14 as follows:

A pulley engaging surface 25 describes a ribbed profile which ribs extend longitudinally along a belt body length. The pulley engaging surface further comprises a fiber loading. The fibers may comprise cellulose, aramid, polyester, cotton,

'07/20/2007 14:21 3037444653 GATES CORPORATION PAGE 03/25

nylon, carbon, acrylic, polyurethane, glass individually or in combination, or any other equivalent material(s) known in the art. The fibers have a length of approximately 18 µm and a thickness of approximately 15 µm in the preferred embodiment, although it is acceptable for the fibers to have a length in the range of approximately 10 µm to 30 µm and a thickness in the range of approximately 10 µm to 20 µm. The fibers are loaded in the elastomeric in an amount of approximately 25 to 30 phr with the preferred amount of approximately 28.7 phr.